

This listing of claims will replace all prior versions, and listings, of claims in the application:

***Listing of Claims:***

1. (currently amended) A tool management method executed by a tool server apparatus coupled with a remote client system via a first network and coupled with a plurality of tools via a second network, each of the plurality of tools being physical tools used in a factory for transporting or processing semiconductor wafers, comprising:

receiving a first request from the remote client system via the first network, the first request containing a uniform resource locator path including a function field and an object field, the object field and the function field identifying a tool object model for an identified tool, the tool object model providing a logical description for use in an automatic control environment of the factory and associated with the plurality of tools;

determining a function to be performed on the tool identified in said object field in said uniform resource locator path based on said function field in said uniform resource locator path;

in response to said first request, sending a first message to the tool identified in the object field in the uniform resource locator path via the second network, said first message is operable for controlling an action of the tool identified in the object field in the uniform resource locator path[[],];

awaiting an initiate processing acknowledge from the tool;

upon receipt of said initiate processing acknowledge from the tool, awaiting an event report from the tool indicating completion of the action; and

wherein the logical description provided by the tool object model enables the control of the action and determination of physical parameters of the identified tool to determine when to initiate the action.

2-3. (cancelled)

4. (previously presented) The method of claim 1 further comprising:

receiving a second message from said one of said plurality of tools associated with said action; and  
caching said second message.

5. (previously presented) The method of claim 4 further comprising:  
receiving a second request from the remote client system via the first network;  
retrieving said second message; and  
generating a response to said second request using said second message.

6. (previously presented) The method of claim 5 further comprising:  
sending said response to the remote client system.

7. (cancelled.)

8. (previously presented) The method of claim 1 further comprising:  
receiving a connection request from the remote client system; and  
opening a connection to the remote client system, said connection being operable for communicating requests and responses to said requests.

9. (previously presented) The method of claim 1 further comprising:  
receiving a second request from the remote client system via the first network, said second request selected from the group consisting of information requests, expand requests and edit requests, wherein,

in response to aid information requests, an HTML page is generated using a set of selected data for a tool object corresponding to a managed tool for sending to the remote client system,

in response to said edit request, an HTML page is generated having a portion operable for user entry of one or more values for modifying a tool object attribute for sending to the remote client system, and

in response to said expand requests and HTML page is generated using a set of child object names and relations to a parent object identified in said expand request for sending to the remote client system.

10. (previously presented) The method of claim 1 wherein said function field comprises an execute request.

11. (previously presented) The method of claim 1 wherein the sending of said first message is in response to execution of a tool object method identified in said first request.

12. (previously presented) The method of claim 11 further comprising overriding said tool object method.

13. (previously presented) The method of claim 12 wherein said overriding said tool object method comprises:

- parsing a script source;
- determining if said script source includes a method signature matching a method signature of said tool object method; and
- if so, executing a corresponding portion of said script source.

14. (previously presented) The method of claim 1 wherein said first request is received in accordance with the hypertext transfer protocol.

15. (currently amended) A data processing system comprising:

- circuitry on a tool server, coupled with a remote client system via a first network and coupled with a plurality of tools via a second network, each of the plurality of tools being physical tools used in a factory for transporting or processing semiconductor wafers, configured to receive a first request from the remote client system via the first network, the first request containing a uniform resource locator path including a function field and an object field;

the object field and the function field identifying a tool object model for an identified tool, the tool object model providing a logical description for use in an automatic control environment of the factory and associated with the plurality of tools;

said circuitry configured to determine a function to be performed on the tool identified in said object field in said uniform resource locator path based on said function field contained in said uniform resource locator path; and

said circuitry configured to send a first message to said tool identified in said object field in said uniform resource locator path via the second network in response to said first request, wherein said first message is operable for controlling an action of said tool identified in said object field in said uniform resource locator path;

said circuitry configured to await an initiate processing acknowledge from the tool; and  
said circuitry configured to await an event report from the tool indicating completion of the action upon receipt of said initiate processing acknowledge from the tool;

wherein the logical description provided by the tool object model enables the control of the action and determination of physical parameters of the identified tool to determine when to initiate the action.

16-17. (cancelled.)

18. (previously presented) The data processing system of claim 15 further comprising:  
circuitry configured to receive a second message from said tool identified in said object field of said uniform resource locator path; and  
circuitry configured to cache said second message.

19. (previously presented) The data processing system of claim 18 further comprising:  
circuitry operable for receiving a second request from the remote client system via the first network;  
circuitry operable for retrieving said second message; and  
circuitry operable for generating a response to said second request using said second message.

20. (previously presented) The data processing system of claim 19 further comprising:  
circuitry operable for sending said response to the remote client system.
21. (previously presented) The data processing system of claim 15 further comprising:  
circuitry operable for receiving a connection request from the remote client system; and  
circuitry operable for opening a connection to the remote client system, said connection  
being operable for communicating requests and responses to said remote client system.
22. (previously presented) The data processing system of claim 15 further comprising:  
circuitry operable for receiving a second request from the remote client system via the  
first network, said second request selected from the group consisting of information requests,  
expand requests and edit requests, wherein,  
in response to said information requests, an HTML page is generated using a set of  
selected data for a tool object corresponding to a managed tool for sending to the remote client  
system,  
in response to said edit requests, an HTML page is generated having a portion operable  
for user entry of one or more values for modifying a tool object attribute for sending to the  
remote client system, and  
in response to said expand requests an HTML page is generated using a set of child  
object names and relations to a parent object identified in said expand request for sending the  
remote client system.
23. (previously presented) The data system of claim 15 wherein said object field in said first  
request comprises an execute request.
24. (previously presented) The data processing system of claim 15 wherein the sending of  
said first message is in response to execution of a tool object method identified in said first  
request.

25. (original) The data processing system of claim 24 further comprising circuitry operable for overriding said tool object method.

26. (original) The data processing system of claim 25 wherein said circuitry operable for overriding said tool object method comprises:

- circuitry operable for parsing a script source;
- circuitry operable for determining if said script source includes a method signature matching a method signature of said tool object method; and
- circuitry operable for executing a corresponding portion of said script source, if so.

27-38. (cancelled)

39. (previously presented) The method of claim 1 further comprising:  
receiving a second request from the remote client system via the first network; and  
generating an HTML page using a set of selected data for a tool object corresponding to a managed tool for sending to the remote client system in response to said second request.

40. (previously presented) The method of claim 39 wherein said HTML page has a portion for user entry of one or more values for modifying a tool object attribute.

41. (previously presented) The data processing system of claim 15 further comprising:  
circuitry operable for receiving a second request from the remote client system via the first network; and  
circuitry operable for generating an HTML page using a set of selected data for a tool object corresponding to a managed tool for sending to the remote client system in response to said second request.

42. (previously presented) The data processing system of claim 41 wherein said HTML page has a portion operable for user entry of one or more values for modifying a tool object attribute.

43-44. (cancelled)

45. (previously presented) The data processing system of claim 15 wherein said first request is received in accordance with the hypertext transfer protocol.

46. (cancelled)

47. (previously presented) The method of claim 1 wherein said first network and said second network utilize the same local area network.

48. (previously presented) The data processing system of claim 15 wherein said first network and said second network utilize the same local area network.

49. (new) The method of claim 1, further comprising performing an override process for objects of the tool object model.

50. (new) The method of claim 49, wherein the override process comprises the following:  
parsing a script override attribute of a given object of the tool object model, the script  
override attribute containing a script source;

determining if the script source contains a method having a matching signature as a  
default method associated with the object; and

if a matching signature is found, then indicating that the default method has been  
overridden in an override registry list.

51. (new) The method of claim 50, wherein the signature is selected from the group  
consisting of a name, a return type, and a set of arguments.

52. (new) The data processing system of claim 15, wherein said circuitry is configured to  
perform an override process for objects of the tool object model.

53. (new) The data processing system of claim 52, wherein the override process comprises the following:

    parsing a script override attribute of a given object of the tool object model, the script override attribute containing a script source;

    determining if the script source contains a method having a matching signature as a default method associated with the object; and

    if a matching signature is found, then indicating that the default method has been overridden in an override registry list.

54. (new) The data processing system of claim 53, wherein the signature is selected from the group consisting of a name, a return type, and a set of arguments.